

cted Use Per

The updated Environmental Protection Agency (EPA) label for XtendiMax[®] herbicide with VaporGrip[®] Technology, a restricted use pesticide, requires additional protection measures in 289 specific counties. In these specific counties, a 310-foot in-field wind-directional spray drift buffer and a 57-foot omnidirectional in-field buffer are required to protect federally listed threatened and endangered species. Nonsensitive areas, defined below, may be included as part of the buffer.

Example


NONSENSITIVE AREAS

To protect federally listed threatened and endangered species, both a 310-foot in-field wind-directional spray drift buffer and a 57-foot omnidirectional in-field buffer are required. If applying to dicamba-tolerant soybeans with a qualified hooded sprayer, both a 240-foot infield wind-directional spray drift buffer and a 57-foot omnidirectional in-field buffer are required to protect federally listed threatened and endangered species. Please see the label for a link to the website(s) with your product's qualified hooded sprayers. The following areas may be included in the buffer distance composition when directly adjacent to the treated field edges:

- Roads, paved or gravel surfaces, mowed grassy areas adjacent to field, and areas of bare ground from recent plowing or grading that are contiguous with the treated field.
- 2. Planted agricultural fields containing dicamba-resistant plantings of cotton and soybeans.
- 3. Areas covered by the footprint of a building, silo, or other manmade structure with walls and/or roof.

DICAMBA TOLERANT CORN SOYBEANS NON-DICAMBA TOLERANT SOYBEANS BUFFER 57 FT* DICAMBA TOLERANT CROP SUFFER 57 FT APPROVED APPLICATION DICAMBA TOLERANT SOYBEANS CORN CORN

*BUFFER COMPOSITION IS 310' DOWNWIND (MAY BE REDUCED WHEN UTILIZING QUALIFIED DRT) WITH 57' OMNIDIRECTIONAL



To obtain Bulletins, consult **EPA.gov/Endangered-Species/Bulletins-Live-Two-View-Bulletins** or call 1-844-447-3813. You must use the Bulletin valid for the month in which you will apply the product.

Visit XtendiMaxApplicationRequirements.com to view the complete product label.